

Noxifer the company has extensive experience in manufacturing of steel parts and metallic structures for the precast concrete industry and industrialized construction. This experience allows us to dialogue with customers and provide specific solutions to any development of product that arises.

The constant innovation in production systems and the provision of the most modern technological tools

place Noxifer at the forefront of new development of products completely adapted to the customer needs. The high demands on certified quality that Noxifer applies at the time of product development, as well as the internal organization in the productive aspects and logistics, have allowed the company to gain customers' trust, serving them with the most high construction safety requirements, fast and efficient.



Foundation systems

for precast concrete structures

Noxifer's technical team constantly communicates with development centres and innovation in the construction sector.

Architects, engineers and construction companies are our referents. Together, we develop the new products they need in each of their projects.

CF certified company









Cubix: Pocket for foundations.

Non-recoverable formwork for the assembly of precast concrete structures.

It is manufactured under request with variable base, width and height.



Structural element



Technical characteristics: Manufactured according to E.C. ENV 1992-1-3: 1994/4.5.3

e. 5 cm. For GROUT mortars.e. 10 cm. For standard concrete.





















Foundation system with ribbed sleeves

of different diametres for the connection of columns or other metallic or concrete structural elements.








Ribbed sleeve

51/57	110/119
63/69	120/129
75/81	130/139
81/87	140/149
90/99	160/169
00/109	





it is placed the reinforcement of the structural element.


















Element for bolted connections between the precast concrete column and the foundation. It must be placed with a recoverable formwork in order to avoid the concrete filling in the zone where the anchor bolts will be placed. Assembly with TN anchor bolts. The system provides a rigid union.

Anchor bolts for connections of precast concrete elements.

















www.noxifer.com

noxifer

Camí de Barberà, parc, 21 43424 Sarral (Tarragona) Spain Tel. +34 977 890 510 info@noxifer.com

